

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	EP621549	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 09:42
S2	10	"621549"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 09:48
S3	13285	data with (nonlinear or "non linear")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 09:49
S4	9	(data with (nonlinear or "non linear")) with ("s box" or "substitution box") and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 09:51
S5	0	(data with (nonlinear or "non linear")) with (("s box" or "substitution box") with permutation) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 09:52
S6	0	(data with (nonlinear or "non linear")) with ("s box" or "substitution box") with permutation and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 09:52
S7	5	(data with (nonlinear or "non linear")) with ("s box" or "substitution box") and permutation and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:29
S8	111	select near2 permutation and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:28
S9	16	S8 and (encrypt\$3 or encipher\$3 or cipher\$3 or cryptography or decipher\$\$) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:57
S10	5	S7 and "380"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:31

S14	51	(random\$3 with select\$3 with permutation) and (permutation with (more or two or three)) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:47
S15	64	permutation with (speedup or "speed up" or fast or (cost adj2 effective)) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:58
S16	0	(two adj2 permutation) with (speedup or "speed up" or fast or (cost adj2 effective)) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:47
S17	2	(two with permutation) with (speedup or "speed up" or fast or (cost adj2 effective)) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:48
S18	0	(select\$3 adj2 permutation) with (speedup or "speed up" or fast or (cost adj2 effective)) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:49
S19	0	(select\$3 adj3 permutation) with (speedup or "speed up" or fast or (cost adj2 effective)) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:49
S20	0	(more adj3 permutation) with (speedup or "speed up" or fast or (cost adj2 effective)) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:49
S21	8	(number adj3 permutation) with (speedup or "speed up" or fast or (cost adj2 effective)) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:49
S22	0	(increas\$3 with permutation) with (speedup or "speed up" or fast or (cost adj2 effective)) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:59
S23	0	(select\$3 with permutation) with permutation with (speedup or "speed up" or fast or (cost adj2 effective)) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:00

S24	9	(select\$3 with permutation) and (permutation with (speedup or "speed up" or fast or (cost adj2 effective))) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:08
S25	20	select\$3 with (random\$3 with (set with permutation\$1)) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:10
S26	251	(two adj\$1 permutation\$1) and 380/29.ccls. and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:02
S28	267	380/29.ccls. and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:03
S29	94	"two permutation" and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:04
S30	6	(select\$3 with "two permutation") and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:05
S31	367	select\$3 with ((two or another or different or three) with permutation) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:31
S32	55	select\$3 near3 ((two or another or different or three) with permutation) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:31
S33	0	select\$3 near3 ((two or another or different or three) with permutation) with ("s box" or "substitution box") and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:32
S34	4	select\$3 near3 ((two or another or different or three) with permutation) and "380"/\$.ccls. and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:04

S44	0	"select\$3 with predetermined with permutation" and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:10
S45	0	"select\$3 with (predetermined with permutation)" and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:10
S46	2	select\$3 with (predetermined with set with two with permutation) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:13
S47	82	(stor\$3 with two with permutation) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:15
S48	82	(stor\$3 with two with permutations) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:19
S49	9	(stor\$3 with two with set with permutations) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:25
S53	1	(two with permutations with ("s box" or "substitution box") and (fast or "speed up" or stronger or safer or "cost effective")) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:32
S54	2	(two with permutations with (fast or "speed up" or stronger or safer or "cost effective")) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 10:05
S55	183	(select\$3 with two with permutations) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 10:06
S56	15	(select\$3 with two adj2 permutations) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 15:25

S64	522	"2.sup.n" and (encrypt\$3 or encipher\$3 or cipher\$3 or crypto\$4) and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 15:37
S65	69	"2.sup.n" with permutation and @ad < "20000704"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 17:29
S82	2	"6314186".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 11:35
S87	2	"6038317".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 11:36